

LASER1390

CO2 LASERCUTTINGMACHINEAND ENGRAVINGMACHINE









PRODUCT CONFIGURATION

Quotation							
	Quotation						
Model	1390						
Power(optional)	 RECIW6 130-150W/ YONGLI130W-160W/CDWJ150W /YONGLIH6 Auto focus laser head Honeycomb Lift platform 						
Main configuration	 Exhaust fan and pipe Red dot location Taiwan HIWIN guide rail Window open safety system Blade table Leadshine motor and driver USB interface RD laserwork software digital control panel 6445G 1300*900mm working area Water cooling system- CW-5200 chiller Engraving Speed :0-1000mm/s Cutting Speed:0-600mm/s Maximum forming character:Figure/English 1x 1mm 1.5*1.5mm Water cooling Graphics Format: PLT/DXF/DST/BMP/A letc(Direct output) Operating Voltage : AC110-220V+-10%,50-60z Compatible Software:CorelDraw/AutoCAD 						
Whole machine size	1720*1310*1070MM						
Packing size& weight	500KG						
Applicable materials	Acrylic,mdf,wood,organic,glass,plastic,garments,paper,leather,rubber,ceramic, glass,and other non metal materials.						
Delivery Time	Local 10 days(as per stock), Outside UAE 20 days plus shipping time						
Warranty	One year warranty Laser tube six months warranty,						
PRICE	USD 8,050 (Ex Works Dubai)						
Payment Term	100% Advance						



Yongli Laser Tube


Using Yongli laser tube, its photoelectric conversion efficiency is high, the laser output power density is high, the beam is concentrated, and the spot is uniform. The engraving/cutting speed is fast and the engraving line is deep and narrow with high resolution and clear characters. The work life of laser tube is long and the fault rate is low.





Hiwin Precise Linear Guide

Equipped with Taiwan Hiwin rail guide, with features of high positioning accuracy, strong load bearing and good dynamic performance.



Adjustable laser head The aluminum alloy adjustable laser head is lighter than other metal laser heads, which can minimize the inertia error when the laser head moves. The outer oxide film has a beautiful appearance and is durable and not deformed for a long time.



Knife and honey table holder and drawer All of Dowin brand 1390 laser

engraving cutting machines are



Linear Guides. 1.X,Y axis adopted high precision and high speed belt transmission 2. Square guide rail from Taiwan Hiwin,high accuracy and long life time.



Xaxis,German ONK steel belt.



High precision stepper motor pure copper synchronous gear



Slave wheel double pivot drive Voltage and high pressure flexible line.







Material	Engrave	Cut	Material	Engrave	Cut
Natural wood	\checkmark	V	Paper	V	\checkmark
Acrylic	\checkmark	\checkmark	Mylar	\checkmark	\checkmark
Glass	\checkmark	×	Press board	\checkmark	\checkmark
Double color plate	\checkmark	V	Rubber	V	V
Bamboo	\checkmark	\checkmark	Plywood	\checkmark	\checkmark
MDF	\checkmark	\checkmark	Fiberglass	\checkmark	\checkmark
Cloth	\checkmark	\checkmark	Painted metal	\checkmark	\checkmark
Leather	\checkmark	\checkmark	Plastic	\checkmark	\checkmark
Marble	\checkmark	×	Ceramic	\checkmark	×
Matte boards	\checkmark	\checkmark	Coated Metal	\checkmark	×
Stone	\checkmark	×	Other materials	\checkmark	V



